



25 Bullberry Loading Data

Maximum Case Length: 2.0395

Brass: Winchester 30-30

Sierra #1600
Diameter: .257"
Sectional Density: .162

Trim to Length: 2.0295

Primer: Winchester Large Rifle

75 Grain Hollow Point
Ballistic Coefficient: .189
C.O.L.: 2.650"

Powder	Charge	15" barrel	20" barrel		Powder	Charge	15" barrel	20" barrel
Hodgdon 4895	33.2 gr	2720 fps	2940 fps		IMR 4895	34.1 gr	2765 fps	2950 fps
	31.9 gr	2635 fps	2825 fps			32.8 gr	2640 fps	2820 fps
	30.7 gr	2510 fps	2720 fps			31.5 gr	2530 fps	2715 fps
IMR 4064	34.7 gr	2710 fps	2945 fps		Reloder 15	34.9 gr	2775 fps	2985 fps
	33.4 gr	2595 fps	2785 fps			33.6 gr	2655 fps	2860 fps
	32.1 gr	2505 fps	2670 fps			32.3 gr	2600 fps	2775 fps

Sierra #1610
Diameter: .257"
Sectional Density: .188

87 Grain Spitzer BT
Ballistic Coefficient: .289
C.O.L.: 2.715"

Powder	Charge	15" barrel	20" barrel		Powder	Charge	15" barrel	20" barrel
Hodgdon 4895	30.6 gr	2475 fps	2760 fps		IMR 4895	31.3 gr	2485 fps	2735 fps
	29.4 gr	2410 fps	2690 fps			30.1 gr	2410 fps	2610 fps
	28.2 gr	2270 fps	2560 fps			28.8 gr	2345 fps	2520 fps
IMR 4064	32.6 gr	2530 fps	2780 fps		Reloder 15	32.2 gr	2575 fps	2785 fps
	31.3 gr	2400 fps	2670 fps			30.9 gr	2480 fps	2685 fps
	30.0 gr	2330 fps	2555 fps			29.6 gr	2395 fps	2590 fps

Remington
 Diameter: .257"
 Sectional Density: .216

100 Grain PSP-CL
 Ballistic Coefficient: .293
 C.O.L.: 2.635"

Powder	Charge	15" barrel	20" barrel		Powder	Charge	15" barrel	20" barrel
Hodgdon 4895	30.5 gr	2485 fps	2595 fps		IMR 4895	30.0 gr	2455 fps	2550 fps
	29.3 gr	2405 fps	2540 fps			28.9 gr	2360 fps	2435 fps
	28.1 gr	2320 fps	2450 fps			27.8 gr	2220 fps	2365 fps
IMR 4064	31.6 gr	2465 fps	2620 fps		Reloder 15	31.2 gr	2490 fps	2600 fps
	30.6 gr	2375 fps	2525 fps			30.0 gr	2405 fps	2530 fps
	29.2 gr	2270 fps	2435 fps			28.9 gr	2330 fps	2445 fps